ELSEVIER

Gene 185 (1997) 297–299

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 185 (1997)

Achenbach, L.A. and Yang, W.
The *fur* gene from *Klebsiella pneumoniae*: characterization, genomic organization and phylogenetic analysis (185) 201
Akamatsu, Y., Tsukumo, S.-i., Kagoshima, H., Tsurushita, N. and Shigesada, K.
A simple screening for mutant DNA binding proteins: application to murine transcription factor PEBP2α subunit, a founding member of the Runt domain protein family (185) 111
Ansari, M., see Fitzgerald, L. (185) 181
Aoki, K., see Murakami, S. (185) 49
Arab, S.F., Krohn, K., Lachmund, A., Unsicker, K. and Suter-Crazzolara, C.
The gene encoding bovine brain-derived neurotrophic factor (BDNF) (185) 95
Arciniegas, S., see Croop, J.M. (185) 77

Barsom, E.K. and Hatfull, G.F.
A putative ABC-transport operon of *Mycobacterium smegmatis* (185) 127
Basset, P., see Okada, A. (185) 187
Beck, F., see Mack, H.G. (185) 11
Becker, M., see Soehnge, H. (185) 257
Berche, P., see Vimont, S. (185) 43
Berk, H., see Ferber, D.M. (185) 239
Boekelheide, K., see Jiang, C. (185) 285
Boguta, M., Czerska, K. and Żołądek, T.
Mutation in a new gene *MAF1* affects tRNA suppressor efficiency in *Saccharomyces cerevisiae* (185) 291
Bowtell, D.D.L., see Mack, H.G. (185) 11
Bradbury, A., see Marzari, R. (185) 27
Brenner, S., see Cairns, M.T. (185) 5
Bruggen, P.V.D., see Lecrenier, N. (185) 147

Cairns, M.T., Green, A.J., White, P.M., Johnston, P.G. and Brenner, S.
A novel bacterial vector system for monitoring protein-protein interactions in the cAMP-dependent protein kinase complex (185) 5
Caron de Fromentel, C., see Le Goas, F. (185) 169
Castrillo, J.L., see Martínez-Barberá, J.P. (185) 87
Centoducati, S., see Roos, J. (185) 137
Chang, C.-F., see Chen, N.N. (185) 55
Chen, N.N., Kerr, D., Chang, C.-F., Honjo, T. and Khalili, K.
Evidence for regulation of transcription and replication of the human neurotropic virus JCV genome by the human Sμbp-2 protein in glial cells (185) 55
Chen, X. and Wu, R.
Direct amplification of unknown genes and fragments by Uneven polymerase chain reaction (185) 195
Conover, D., see Soehnge, H. (185) 257
Croop, J.M., Tiller, G.E., Fletcher, J.A., Lux, M.L., Raab, E., Goldenson, D., Son, D., Arciniegas, S. and Wu, R.L.
Isolation and characterization of a mammalian homolog of the *Drosophila white* gene (185) 77
Cvekl, A., see Sax, C.M. (185) 209
Czerska, K., see Boguta, M. (185) 291

Dakour, J., Li, H. and Morrish, D.W.
PL48: a novel gene associated with cytotrophoblast and lineage-specific HL-60 cell differentiation (185) 153
Dube, D.K., see Luque, E.A. (185) 175
Dube, S., see Luque, E.A. (185) 175
Dumontier, S., see Vimont, S. (185) 43

Escuyer, V., see Vimont, S. (185) 43

Ferber, D.M., Haney, P.J., Berk, H., Lynn, D. and Konisky, J.
The adenylate kinase genes of *M. voltae*, *M. thermolithotrophicus*, *M. jannaschii*, and *M. igneus* define a new family of adenylate kinases (185) 239
Fitzgerald, L., Ansari, M. and Haj-Ahmad, Y.
Cloning and sequencing of the bovine adenovirus type 2 early region 4 (185) 181
Fletcher, J.A., see Croop, J.M. (185) 77
Foury, F., see Lecrenier, N. (185) 147

Garvis, S.G., Tipton, S.L. and Konkel, M.E.
Identification of a functional homolog of the *Escherichia coli* and *Salmonella typhimurium cysM* gene encoding *O*-acetylserine sulfhydrylase B in *Campylobacter jejuni* (185) 63
Goldenson, D., see Croop, J.M. (185) 77
Gomez, S.P., see Handler, A.M. (185) 133
Green, A.J., see Cairns, M.T. (185) 5

Haj-Ahmad, Y., see Fitzgerald, L. (185) 181
Hall, S.J., see Jiang, C. (185) 285
Handler, A.M. and Gomez, S.P.
A new *hobo*, *Ac*, *Tam3* transposable element, *hopper*, from *Bactrocera dorsalis* is distantly related to *hobo* and *Ac* (185) 133
Haney, P.J., see Ferber, D.M. (185) 239
Harada, E., see Iwasaki, T. (185) 223
Hatfull, G.F., see Barsom, E.K. (185) 127
Hohmann, H.-P., see Pasamontes, L. (185) 35
Hong, D., see Kurihara, T. (185) 277
Honjo, T., see Chen, N.N. (185) 55
Hu, J.C., see Zeng, X. (185) 245
Huang, X., see Soehnge, H. (185) 257
Hug, D., see Pasamontes, L. (185) 35
Hunderuk, M., see Żarko-Postawka, M. (185) 231

Iatrou, K., see Lu, M. (185) 69
Iwasaki, T., Saito, Y., Harada, E., Kasai, M., Shoji, K., Miyao, M. and Yamamoto, N.
Cloning of cDNA encoding the rice 22 kDa protein of Photosystem II (PSII-S) and analysis of light-induced expression of the gene (185) 223

Jiang, C., Hall, S.J. and Boekelheide, K.
Cloning and characterization of the 5′ flanking region of the stem cell factor gene in rat Sertoli cells (185) 285
Johnston, P.G., see Cairns, M.T. (185) 5

Kagoshima, H., see Akamatsu, Y. (185) 111
Kakikawa, M., Oki, M., Watanabe, N., Yasukawa, H., Masamune, Y., Taketo, A. and Kodaira, K.-I.
Characterization of the genes encoding integrative and excisive functions of *Lactobacillus* phage øg1e: cloning, sequence analysis, and expression in *Escherichia coli* (185) 119
Kasai, M., see Iwasaki, T. (185) 223
Kataoka, K., see Kurihara, T. (185) 277
Kerr, D., see Chen, N.N. (185) 55
Khalili, K., see Chen, N.N. (185) 55
Kim, D.-J., Smith, S.M. and Leaver, C.J.
A cDNA encoding a putative SPF1-type DNA-binding protein from cucumber (185) 265
Kodaira, K.-I., see Kakikawa, M. (185) 119
Kodama, N., see Murakami, S. (185) 49
Komano, T., see Yoshisue, H. (185) 251
Konisky, J., see Ferber, D.M. (185) 239
Konkel, M.E., see Garvis, S.G. (185) 63
Korobko, I.V., Yamamoto, K., Nogi, Y. and Muramatsu, M.
Protein interaction cloning in yeast of the mouse third largest RNA polymerase II subunit, mRPB31 (185) 1
Krohn, K., see Arab, S.F. (185) 95
Kumagai, T., see Narushima, Y. (185) 159
Kurihara, T., Kataoka, K., Hong, D., Shioda, S., Sugano, S., Mitamura, K., Maruyama, K. and Yamaguchi, N.
Genomic structure and promoter analysis of the gene encoding MM3, a member of transmembrane 4 superfamily (185) 277

Lachmund, A., see Arab, S.F. (185) 95
Leaver, C.J., see Kim, D.-J. (185) 265
Lecrenier, N., Bruggen, P.V.D. and Foury, F.
Mitochondrial DNA polymerases from yeast to man: a new family of polymerases (185) 147
Le Goas, F., May, P., Ronco, P. and Caron de Fromentel, C.
cDNA cloning and immunological characterization of rabbit p53 (185) 169
Lemanski, L.F., see Luque, E.A. (185) 175
Lennarz, W.J., see Roos, J. (185) 137
Levy, Z., see Yamit-Hezi, A. (185) 99
Li, H., see Dakour, J. (185) 153
Lindsey, J.S., see Nhim, R.P. (185) 271
Lu, M. and Iatrou, K.
Characterization of a domain of the genome of BmNPV containing a functional gene for a small capsid protein and harboring deletions eliminating three open reading frames that are present in AcNPV (185) 69
Luque, E.A., Spinner, B.J., Dube, S., Dube, D.K. and Lemanski, L.F.
Differential expression of a novel isoform of α-tropomyosin in cardiac and skeletal muscle of the Mexican axolotl (*Ambystoma mexicanum*) (185) 175
Lux, M.L., see Croop, J.M. (185) 77
Luz, J.M., see Roos, J. (185) 137
Lynn, D., see Ferber, D.M. (185) 239

Mack, H.G., Beck, F. and Bowtell, D.D.L.
A search for a mammalian homologue of the *Drosophila* photoreceptor development gene *glass* yields *Zfp64*, a zinc finger encoding gene which maps to the distal end of mouse chromosome 2 (185) 11
Martínez-Barberá, J.P., Vila, V., Valdivia, M.M. and Castrillo, J.L.
Molecular cloning of gilthead seabream (*Sparus aurata*) pituitary transcription factor GHF-1/Pit-1 (185) 87
Maruyama, K., see Kurihara, T. (185) 277
Marzari, R., Sblattero, D., Righi, M. and Bradbury, A.
Extending filamentous phage host range by the grafting of a heterologous receptor binding domain (185) 27
Masamune, Y., see Kakikawa, M. (185) 119
Maunus, R.E., see Nwankwo, D.O. (185) 105
May, P., see Le Goas, F. (185) 169
Misumi, Y., see Okada, A. (185) 187
Mitamura, K., see Kurihara, T. (185) 277
Miyao, M., see Iwasaki, T. (185) 223
Miyashita, H., see Narushima, Y. (185) 159
Mizuno, S., see Nomura, O. (185) 217
Mordarski, M., see Żarko-Postawka, M. (185) 231
Mori, M., see Narushima, Y. (185) 159
Morrish, D.W., see Dakour, J. (185) 153
Murakami, S., Kodama, N., Shinke, R. and Aoki, K.
Classification of catechol 1,2-dioxygenase family: sequence analysis of a gene for the catechol 1,2-dioxygenase showing high specificity for methylcatechols from Gram$^+$ aniline-assimilating *Rhodococcus erythropolis* AN-13 (185) 49
Muramatsu, M., see Korobko, I.V. (185) 1

Nakabayashi, O., see Nomura, O. (185) 217
Nakagawara, K.-i., see Narushima, Y. (185) 159
Narushima, Y., Unno, M., Nakagawara, K.-i., Mori, M., Miyashita, H., Suzuki, Y., Noguchi, N., Takasawa, S., Kumagai, T., Yonekura, H. and Okamoto, H.
Structure, chromosomal localization and expression of mouse genes encoding type III Reg, *RegIIIα*, *RegIIIβ*, *RegIIIγ* (185) 159
Neuman, S., see Yamit-Hezi, A. (185) 99
Nhim, R.P., Lindsey, J.S. and Wilkinson, M.F.
A processed homeobox gene expressed in a stage-, tissue- and region-specific manner in epididymis (185) 271
Nishimori, K., see Nomura, O. (185) 217
Nogi, Y., see Korobko, I.V. (185) 1
Noguchi, N., see Narushima, Y. (185) 159
Nomura, O., Nakabayashi, O., Nishimori, K. and Mizuno, S.
The cDNA cloning and transient expression of a chicken gene encoding cytochrome P-450scc (185) 217
Nudel, U., see Yamit-Hezi, A. (185) 99
Nwankwo, D.O., Maunus, R.E. and Xu, S.-y.
Cloning and expression of *Aat*II restriction-modification system in *Escherichia coli* (185) 105

Okada, A., Saez, S., Misumi, Y. and Basset, P.
Rat stromelysin 3: cDNA cloning from healing skin wound, activation by furin and expression in rat tissues (185) 187
Okamoto, H., see Narushima, Y. (185) 159
Oki, M., see Kakikawa, M. (185) 119

Pasamontes, L., Hug, D., Tessier, M., Hohmann, H.-P., Schierle, J. and van Loon, A.P.G.M.
Isolation and characterization of the carotenoid biosynthesis genes of *Flavobacterium* sp. strain R1534 (185) 35
Piatigorsky, J., see Sax, C.M. (185) 209

Raab, E., see Croop, J.M. (185) 77
Rao, M.R.S., see Vani, R.G. (185) 19
Righi, M., see Marzari, R. (185) 27
Ronco, P., see Le Goas, F. (185) 169
Roos, J., Luz, J.M., Centoducati, S., Sternglanz, R. and Lennarz, W.J.
ENP1, an essential gene encoding a nuclear protein that is highly conserved from yeast to humans (185) 137

Saez, S., see Okada, A. (185) 187
Saito, Y., see Iwasaki, T. (185) 223
Sakai, H., see Yoshisue, H. (185) 251
Sax, C.M., Cvekl, A. and Piatigorsky, J.
Transcriptional regulation of the mouse αA-crystallin gene: binding of USF to the $-7/+5$ region (185) 209
Sblattero, D., see Marzari, R. (185) 27

Schierle, J., see Pasamontes, L. (185) 35
Sen, K., see Yoshisue, H. (185) 251
Shigesada, K., see Akamatsu, Y. (185) 111
Shinke, R., see Murakami, S. (185) 49
Shioda, S., see Kurihara, T. (185) 277
Shoji, K., see Iwasaki, T. (185) 223
Smith, S.M., see Kim, D.-J. (185) 265
Soehnge, H., Huang, X., Becker, M., Conover, D. and Stern, M.
Cloning and sequencing of ribosomal protein L27a and a gene similar to human GS1 in *Drosophila* (185) 257
Son, D., see Croop, J.M. (185) 77
Spinner, B.J., see Luque, E.A. (185) 175
Stern, M., see Soehnge, H. (185) 257
Sternglanz, R., see Roos, J. (185) 137
Sugano, S., see Kurihara, T. (185) 277
Suter-Crazzolara, C., see Arab, S.F. (185) 95
Suzuki, Y., see Narushima, Y. (185) 159

Takasawa, S., see Narushima, Y. (185) 159
Taketo, A., see Kakikawa, M. (185) 119
Tessier, M., see Pasamontes, L. (185) 35
Tiller, G.E., see Croop, J.M. (185) 77
Tipton, S.L., see Garvis, S.G. (185) 63
Tsukumo, S.-i., see Akamatsu, Y. (185) 111
Tsurushita, N., see Akamatsu, Y. (185) 111

Unno, M., see Narushima, Y. (185) 159
Unsicker, K., see Arab, S.F. (185) 95

Valdivia, M.M., see Martínez-Barberá, J.P. (185) 87
Vani, R.G. and Rao, M.R.S.
Cloning of the cDNA encoding rat homologue of the mismatch repair gene MSH2 and its expression during spermatogenesis (185) 19
van Loon, A.P.G.M., see Pasamontes, L. (185) 35
Vila, V., see Martínez-Barberá, J.P. (185) 87
Vimont, S., Dumontier, S., Escuyer, V. and Berche, P.
The *rfaD* locus: a region of rearrangement in *Vibrio cholerae* O139 (185) 43

Watanabe, N., see Kakikawa, M. (185) 119
White, P.M., see Cairns, M.T. (185) 5
Wilkinson, M.F., see Nhim, R.P. (185) 271
Wu, R., see Chen, X. (185) 195
Wu, R.L., see Croop, J.M. (185) 77

Xu, S.-y., see Nwankwo, D.O. (185) 105

Yamagiwa, M., see Yoshisue, H. (185) 251
Yamaguchi, N., see Kurihara, T. (185) 277
Yamamoto, K., see Korobko, I.V. (185) 1
Yamamoto, N., see Iwasaki, T. (185) 223
Yamit-Hezi, A., Levy, Z., Neuman, S. and Nudel, U.
A *Leuconostoc lactis* protein with homology to ribosomal protein S1 shares common epitopes and common DNA binding properties with a mammalian DNA binding nuclear factor (185) 99
Yang, W., see Achenbach, L.A. (185) 201
Yasukawa, H., see Kakikawa, M. (185) 119
Yonekura, H., see Narushima, Y. (185) 159
Yoshisue, H., Sakai, H., Sen, K., Yamagiwa, M. and Komano, T.
Identification of a second transcriptional start site for the insecticidal protein gene *cryIVA* of *Bacillus thuringiensis* subsp. *israelensis* (185) 251

Zakrzewska-Czerwińska, J., see Zarko-Postawka, M. (185) 231
Żarko-Postawka, M., Hunderuk, M., Mordarski, M. and Zakrzewska-Czerwińska, J.
Organization and nucleotide sequence analysis of the ribosomal gene set (*rrnB*) from *Streptomyces lividans* (185) 231
Zeng, X. and Hu, J.C.
Detection of tetramerization domains in vivo by cooperative DNA binding to tandem λ operator sites (185) 245
Żołądek, T., see Boguta, M. (185) 291